Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2191	laser$1 and weld$3 and (fib$3 or lightguide$1 or wavegide$1) and feedback and control$4 and process$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:50
L2	583	laser$1 and weld$3 and (fib$3 or lightguide$1 or wavegide$1) and feedback and control$4 and process$3 and bundle$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:50
L3	434	laser$1 and weld$3 and (fib$3 or lightguide$1 or wavegide$1) and feedback and control$4 and process$3 and (intensity with (detect$3 or photodetect$3 or photodiode or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:56
L4	278	3 and calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:53
L5	2404	laser$1 and (fib$3 or lightguide$1 or wavegide$1) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:02
L6	7	5 and 372/29.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:59
L7	11	5 and 372/29.011.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 11:00
L8	185	laser$1 and ((fib$3 or lightguide$1 or wavegide$1 or bundle$1) near3 index) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 12:55
L9	45	laser$1 and ((fib$3 or lightguide$1 or wavegide$1 or bundle$1) near3 calibrat$3) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 11:11

L10	92	laser$1 and ((fib$3 or lightguide$1 or wavegide$1 or bundle$1) near3 index) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor)) and calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:29
L11	18	laser$1 and ((fib$3 or lightguide$1 or wavegide$1 or bundle$1) near3 noise) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor)) and calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:32
L12	38	laser$1 and ((fib$3 or lightguide$1 or wavegide$1 or bundle$1) near3 interchange$4) and feedback and control$4 and process$3 and (intensity near3 (detect$3 or photodetect$3 or photodiode or sensor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:35
L13	6	(laser near3 (weld$3 or process$3)) same optical near3 bundle$1 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:38
L14	176	laser with optical near3 bundle$1 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:39
L15	38	laser near3 optical near3 bundle$1 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:48
L16	0	laser and fiber near3 bundle$1 and lightguide and waveguide and feedback and ((detect$3 or photodetect$3 or photodiode or sensor) near3 intensity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:50
L17	1	laser and fiber near3 bundle$1 and lightguide and waveguide and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:50
L18	15	laser and fiber near3 bundle$1 and lightguide and waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:53

L19	168	372/29.011.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:54
L20	36	19 and calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 13:54
L21	0	laser$1 and (fib$3 or lightguide$1 or wavegide$1) near3 deviat$3 same calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:03
L22	12	laser$1 and (fib$3 or lightguide$1 or wavegide$1) with deviat$3 same calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:05
L23	52	laser$1 and (fib$3 or lightguide$1 or wavegide$1) with deviat$3 same feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:08
L24	11	laser$1 and (fib$3 or lightguide$1 or wavegide$1) near3 deviat$3 same feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:09
L25	31	(fib$3 or lightguide$1 or wavegide$1) near3 calibrat$3 near3 factor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:11
L26	0	25 and laser with feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:10
L27	15	25 and laser same feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:12
L28	59	(fib$3 or lightguide$1 or wavegide$1) with calibrat$3 near3 factor$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:14

L29	30	28 not 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:12
L30	4	29 and laser same feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:13
L31	7	29 and laser and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:13
L32	3	31 not 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:14
L33	2	28 and "372"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:14
L34	3574	(fib$3 or lightguide$1 or wavegide$1) with calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:14
L35	1031	(fib$3 or lightguide$1 or wavegide$1) near3 calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:15
L36	189	35 and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:15
L37	19	36 and "372"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:19
L38	136	36 and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:55

L39	1028	laser and calibrat$3 and (delivery near3 (deivce or system)) and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:56
L40	43	39 and "250"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 14:59
L41	1	(calibrat$3 and laser and feedback and optical near3 bundle).clm.	US-PGPUB	OR	OFF	2005/10/01 15:00
L42	1	(calibrat$3 and laser and feedback and optical near3 bundle) and 372/29. 011.ccls.	US-PGPUB	OR	OFF	2005/10/01 15:00
S1	9816	bundle$1and laser and feedback and (detect$3 or photodetect$3 or photodiode$1 or (optical near3 sensor)) and calibrat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/01 10:48
S2	41	((optical or fib$3) near3 bundle$1) and laser and feedback and (detect$3 or photodetect$3 or photodiode$1 or (optical near3 sensor)) and calibrat$3 near3 factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/30 13:56
S3	4	laser near3 calibrat$3.ti. and ((optical or fib$3) near3 (array or bundle$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/30 13:59
S4	241	laser near3 calibrat$3 and ((optical or fib$3) near3 (array or bundle$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/30 13:59
S5	118	laser near3 calibrat$3 and ((optical or fib$3) near3 (array or bundle$1)) and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/30 14:12
S6	1	("4636609").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/01 10:48